

Form 3860-10
(October 1979)
(formerly 3400-11)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Mineral Survey number
4853

State
Arizona

Land District
Arizona

FIELD NOTES

Of the Survey of the Mining Claim of *(name and address of Claimant)*

John W. Skierka
Post Office Box 2400
Quartzsite, Arizona 85346

Known as the *(name of group, if any)*

CONSISTING OF LOCATIONS NAMED AND LOCATED AS FOLLOWS

NAME OF LOCATION	DATE	
	LOCATED	AMENDED
CAMIOLA MILL SITE #1 AMENDED	12/17/76	02/01/82 11/15/82
CAMIOLA MILL SITE #2 AMENDED	12/17/76	02/01/82 11/15/82
SAXE MILL SITE #1 AMENDED	12/17/76	02/01/82 11/15/82
CHRYSTAL BUTTE #1 MILL SITE AMENDED	12/17/76	02/01/82 11/15/82

Mining district Plomosa		County La Paz	
Section 26	Township 4 N	Range 19 W	Meridian G. & S.R.
Survey commenced January 12, 1983		Survey under order dated January 3, 1983	
Survey completed October 25, 1985		Name of Mineral Surveyor Louis A. Cornejo	

1870

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887

1888

1889

1890

1891

1892

1893

1894

1895

1896

1897

1898

1899

1900

1901

1902

1903

1904

1905

1906

1907

1908

1909

1910

1911

1912

1913

1914

FEET

This survey was made with a Wild T-16 Theodolite, No. 54727, with Horizontal limb 3.125 ins. diam., having one optical reading vernier and a full vertical circle 3.125 ins. diam., having one optical reading vernier; the verniers read to one minute of arc; the eyepiece is equipped with a color shade set in the dust shutter for making direct observations of the sun. The instrument was in good condition at the time of the survey and all adjustments were in good order.

All azimuths in this record were determined by the method of deflection angles referred to the meridian determined by the following observation:

September 30, 1985, at Cor. No. 1 of the Camiola Mill Site #1 Amended, in latitude $33^{\circ}39'57''$ N., and longitude $114^{\circ}11'17''$ W., elevation 950.8 ft. above sea level, and temperature 90° F., make a series of six altitude observations on the sun for azimuth at approximately equal time intervals, three each with the telescope in direct and reversed positions, observing opposite limbs of the sun, and reading the horizontal angle right from a reference point about 1,000 ft. westward to the sun.

Mean time of observation,
105th meridian standard
time = $4^{\text{h}}26^{\text{m}}02^{\text{s}}$ P.M.

Declination of the
sun at mean time of
observation = $3^{\circ}04'36''$ S.

Mean observed vertical
angle to sun's
center = $22^{\circ}43'37''$

Mean horizontal angle
right from reference
point to sun's
center = $347^{\circ}15'32''$

True bearing to reference
point = S. $82^{\circ}20'56''$ W.

The lines were measured with a K & E steel tape, 301 ft. in length, graduated every foot for 300 ft. and the remaining foot graduated to tenths and hundredths; the tape was compared with a 200 ft. standard tape at the beginning of the survey and found to be correct.

All lines and connections of this survey were run by direct methods.

The magnetic declination observed at each corner of the survey gave a uniform value of $14^{\circ}30'$ E.

FEET	
	<p style="text-align: center;">CAMIOLA MILL SITE #1 AMENDED</p> <p>At Cor. No. 1 of the Camiola Mill Site #1 Amended, identical with Cor. No. 1 of the Camiola Mill Site #2 Amended of this Survey.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#1A-1-CMS#2A-1-4853; from which</p> <p>The 1/4 sec. cor. of secs. 23 and 26, T. 4 N., R. 19 W., G.S.R.M., bears N. 39°16'41" W., 742.16 ft. dist., monumented with an iron post, 1 in. diam., 10 ins. above ground, firmly set, with brass cap properly mkd., and with a mound of stone, 12 ins. high, SW of cor.</p> <p style="text-align: center;">A pine post, 4 x 4 ins. in size, 36 ins. above the ground, bears SW, 12 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 7°39'04" E.</p>
436.79	<p>Cor. No. 2 of the Camiola Mill Site #2 Amended of this survey.</p>
660.0	<p>Cor. No. 2.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap. mkd. CMS#1A-2-4853; from which</p> <p style="text-align: center;">A pine post, 4 x 4 ins. in size, 36 ins. above the ground, bears S., 13 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence S. 82°20'56" W.</p>
330.00	<p>Cor. No. 3.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#1A-3-4853; from which</p> <p style="text-align: center;">A pine post, 4 x 4 ins. in size, 26 ins. above the ground, bears S., 12 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p style="text-align: center;">Thence N. 7°39'04" W.</p>
660.00	<p>Cor. No. 4.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#1A-4-4853; from which</p>

FEET		
330.0	<p>A pine post, 4 x 5 ins. in size, 28 ins. above the ground, bears S., 8 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 82°20'56" E.</p> <p>Cor. No. 1, and place of beginning.</p>	
436.79	<p style="text-align: center;">CAMIOLA MILL SITE #2 AMENDED</p> <p>Beginning at Cor. No. 1 of the Camiola Mill Site #2 Amended, identical with Cor. No. 1 of the Camiola Mill Site #1 Amended of this survey.</p> <p>Thence S. 7°39'04" E.</p> <p>Cor. No. 2.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#2A-2-4853; from which</p> <p>A pine post, 4 x 4 ins. in size, 28 ins. above the ground, bears W., 13 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 82°20'56" E.</p>	
209.69	<p>Cor. No. 3.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#2A-3-4853; from which</p> <p>A pine post, 4 x 5 ins. in size, 30 ins. above the ground, bears S., 11 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 89°15'56" E.</p>	
260.52	<p>Cor. No. 4, identical with Cor. No. 3 of the Saxe Mill Site #1 Amended of this Survey.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#2A-4-SMS#1A-3-4853; from which</p> <p>A pine post, 4 x 5 ins. in size, 26 ins. above the ground, bears S., 10 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p>	

(This form bound on left side)

FEET		
440.00	<p>Thence N. 0°44'04" W.</p> <p>Cor. No. 5, identical with Cor. No. 4 of the Saxe Mill Site #1 Amended of this Survey.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#2A-5-SMS#1A-4-4853; from which</p> <p>A pine post, 4 x 4 ins. in size, 28 ins. above the ground, bears S., 14 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p>	
260.52	<p>Thence S. 89°15'56"W.</p> <p>Cor. No. 6.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CMS#2A-6-4853; from which</p> <p>A pine post, 4 x 5 ins. in size, 30 ins. above the ground, bears S., 9 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p>	
262.68	<p>Thence S. 82°20'56" W.</p> <p>Cor. No. 1, and place of beginning.</p>	
440.00	<p>SAXE MILL SITE #1 AMENDED</p> <p>At Cor. No. 1 of the Saxe Mill Site #1 Amended, identical with Cor. No. 1 of the Chrystal Butte #1 Mill Site Amended of this survey.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. SMS#1A-1-CB#1MSA-1-4853; from which</p> <p>The 1/4 sec. cor. of secs. 23 and 26 bears N. 70°22'19" W., 1577.30 ft. dist. hereinbefore described.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 0°44'04" E.</p> <p>Cor. No. 2, identical with Cor. No. 2 of the Chrystal Butte #1 Mill Site Amended of this survey.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. SMS#1A-2-CB#1MSA-2-4853; from which</p>	

FEET		
	<p>A pine post, 4 x 4 ins. in size, 28 ins. above the ground, bears S., 10 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence S. 89°15'56" W.</p>	
495.00	<p>Cor. No. 3, identical with Cor. No. 4 of the Camiola Mill Site #2 Amended of this survey.</p> <p>Thence N. 0°44'04" W.</p>	
440.00	<p>Cor. No. 4, identical with Cor. No. 5 of the Camiola Mill Site #2 Amended of this survey.</p> <p>Thence N. 89°15'56" E.</p>	
495.00	<p>Cor. No. 1, and place of beginning.</p>	
	<p style="text-align: center;">CHRYSTAL BUTTE #1 MILL SITE AMENDED</p> <p>Beginning at Cor. No. 1 of the Chrystal Butte #1 Mill Site Amended, identical with Cor. No. 1 of the Saxe Mill Site #1 Amended of this survey.</p> <p>Thence S. 0°44'04" E.</p>	
440.00	<p>Cor. No. 2, identical with Cor. No. 2 of the Saxe Mill Site #1 Amended of this survey.</p> <p>Thence N. 89°15'56" E.</p>	
495.00	<p>Cor. No. 3.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CB#1MSA-3-4853; from which</p> <p>A pine post, 4 x 4 ins. in size, 26 ins. above the ground, bears S., 10 ins. dist.</p> <p>No local bearing objects or bearing trees available.</p> <p>Thence N. 0°44'04" W.</p>	
440.00	<p>Cor. No. 4.</p> <p>Set an iron rod, 3/4 in. diam., 26 ins. long, 20 ins. in the ground, and insert an aluminum cap mkd. CB#1MSA-4-4853; from which</p> <p>A pine post, 4 x 5 ins. in size, 30 ins. above the ground, bears S., 10 ins. dist.</p>	

(This form bound on left side)

FEET	<p>No local bearing objects or bearing trees available.</p> <p>Thence S. 89°15'56" W.</p> <p>495.00 Cor. No. 1, and place of beginning.</p>										
	Mineral Survey No. 4853										
	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">AREAS</th> <th style="text-align: right;">Acres</th> </tr> </thead> <tbody> <tr> <td>Total area Camiola Mill Site #1 Amended</td> <td style="text-align: right;">5.000</td> </tr> <tr> <td>Total area Camiola Mill Site #2 Amended</td> <td style="text-align: right;">5.000</td> </tr> <tr> <td>Total area Saxe Mill Site #1 Amended</td> <td style="text-align: right;">5.000</td> </tr> <tr> <td>Total area Chrystal Butte #1 Mill Site Amended</td> <td style="text-align: right;">5.000</td> </tr> </tbody> </table> <p style="text-align: center;">LOCATION</p> <p>This survey is located in the NE 1/4, Sec. 26, T. 4 N., R. 19 W., Gila and Salt River Meridian, Arizona. The survey of the Camiola Mill Site #1 Amended, Camiola Mill Site #2 Amended, Saxe Mill Site #1 Amended, and Chrystal Butte #1 Mill Site Amended is identical with the respective location or amended location as marked on the ground.</p> <p style="text-align: center;">EXPENDITURES</p> <p>None.</p> <p style="text-align: center;">OTHER IMPROVEMENTS</p> <p>A water well, 8 ins. diam., 175 ft. deep, the center of which bears S. 17°07' E., 75.2 ft. dist. from Cor. No. 4 Camiola Mill Site #1 Amended. Claimant herein.</p> <p>A frame repair shop, the NW cor. of which bears S. 5°10' W., 308 ft. from Cor. No. 1 Camiola Mill Site #1 Amended; 58 x 12 ft. in size, the long sides bear S. 39° W. Claimant herein.</p> <p>A frame storage building, the NE cor. of which bears S. 24°10' W., 408 ft. from Cor. No. 1 Camiola Mill Site #1 Amended; 40 x 10 ft. in size, the long sides bear N. 89° W. Claimant herein.</p>	AREAS	Acres	Total area Camiola Mill Site #1 Amended	5.000	Total area Camiola Mill Site #2 Amended	5.000	Total area Saxe Mill Site #1 Amended	5.000	Total area Chrystal Butte #1 Mill Site Amended	5.000
AREAS	Acres										
Total area Camiola Mill Site #1 Amended	5.000										
Total area Camiola Mill Site #2 Amended	5.000										
Total area Saxe Mill Site #1 Amended	5.000										
Total area Chrystal Butte #1 Mill Site Amended	5.000										

FEET

OTHER CORNER DESCRIPTIONS
AND SUPPLEMENTAL DATA

Line 4-1 Camiola Mill Site #1 Amended,
line 1-6-5 Camiola Mill Site #2 Amended, line
4-1 Saxe Mill Site #1 Amended, and line 1-4
Chrystal Butte #1 Mill Site Amended, are on
the south right of way line of a frontage
road.

FIELD ASSISTANTS

Name	Capacity
Robert Standley	Chainman

FEET	OTHER INFORMATION CONCERNING AND SUPPLEMENTAL DATA	
	<p>General Notes: This site is located on the eastern side of the road, approximately 1/2 mile from the center of the town. The site is a small, rectangular plot of land, approximately 100 feet by 150 feet. The site is currently vacant and is surrounded by a fence. The site is located on a slight rise and is well-drained. The site is a good location for a building and is well-served by the road. The site is a good location for a building and is well-served by the road.</p> <p>FIELD ASSISTANT</p> <p>Robert Stanley</p>	

Form 3860-7
(November 1976)
(formerly 3400-8)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CERTIFICATE OF SURVEYOR

Name of Mineral Surveyor <p style="text-align: center;">Louis A. Cornejo</p>	Date <p style="text-align: center;">October 25, 1985</p>
---	---


I HEREBY CERTIFY That in pursuance of an order received from the Chief Cadastral Surveyor of Arizona, Bureau of Land Management , at Phoenix, Arizona , dated January 3 , 1983 , I have carefully executed the survey of the claim of John W. Skierka , known as the (lode, placer, or mill site) * (see below) , situated in the NE 1/4 of Section 26 , Township 4 N , Range 19 W , Gila & Salt River Meridian, in the State of Arizona .

This survey, designated as number 4853 , has been executed by me and under my direction and has been made in strict conformity with said order, the Manual of Instructions for the Survey of Public Lands of the United States, and in specific manner described in the foregoing field notes.

I FURTHER CERTIFY That the labor expended and improvements made upon and for the benefit of the (lode or placer) mill site location(s) embraced in the said mining claim by claimant(s) or grantors are fully stated in my report. The character, extent, location, and itemized value are specified in full detail. No portion of, or interest in, said labor and improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

- * CAMIOLA MILL SITE #1 AMENDED
- CAMIOLA MILL SITE #2 AMENDED
- SAXE MILL SITE #1 AMENDED
- CHRYSTAL BUTTE #1 MILL SITE AMENDED

Parker, Arizona




(Location)

(Signature of Mineral Surveyor)

CERTIFICATE OF APPROVAL

Office Arizona State
Location Phoenix, Arizona
Date December 13, 1985

The foregoing field notes of mineral survey number 4853 , in the northeast 1/4 of section 26 , surveyed unsurveyed Township 4 N. , Range 19 W., Gila and Salt River Meridian, in the State of Arizona , executed by Louis A. Cornejo , Mineral Surveyor, under order dated January 3 , 1983 , having been critically examined and the necessary corrections made prior to their certification by the surveyor, the field notes and the survey therein described are hereby approved.



(Authorized Signature)

Chief Cadastral Surveyor of Arizona

(Title)

CERTIFICATE OF TRANSCRIPT

I HEREBY CERTIFY That the foregoing transcript of field notes of the above-described mineral survey number 4853 is a true copy of the original field notes.

Chief Cadastral Surveyor of Arizona

(Authorized Signature)

(Title)

Title 18, U.S.C. section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent statements or representations as to any matter within its jurisdiction.

STATE OF TEXAS
COUNTY OF [illegible]

Know all men by these presents, that [illegible]

[Faint, illegible text block containing the main body of the document]

[Faint, illegible text block containing the main body of the document]

[Faint, illegible text block containing the main body of the document]